

Wall Band Shelving



Wall Band Shelving for Commercial Use

Uprights

Double Slotted



Double Slotted	Standard Heights:	Single Slotted
	610mm	
	915mm	
	1220mm	
	1524mm	
	1830mm	
	2134mm	
	2438mm	
	3000mm	

Powder Coated
Standard Colours:
White, Soft Cream & Black
Other colour available
on request

Single Slotted



Adjustable Downsloping Brackets

- 229mm
- 305mm
- 381mm



Glass Shelf Bracket - Straight

With front stopper

- 152mm
- 229mm
- 305mm
- 381mm
- 457mm



Brackets for Timber Shelves




Downsloping Brackets

- 229mm
- 305mm
- 381mm
- 457mm



Wall Band Saddle

Support for Heavy Applications
For Double Slotted Wall Bands Only



Glass Shelf Bracket - Downsloping

25 Degree
With front stopper


- 305mm




Wall Band Shelving for Commercial Use

Brackets for Steel Shelves

Steel Shelves



Wall Band Foot



For steel shelves:

- Depth 305mm
- Depth 381mm
- Depth 457mm
- Depth 533mm
- Depth 610mm

Includes:

- Nylon Insert
- Foot Adjuster

Requires Double Slotted Wall Bands

914mm Width:

- Depth 152mm
- Depth 255mm
- Depth 305mm
- Depth 381mm
- Depth 457mm
- Depth 533mm
- Depth 610mm

1000mm Width:

- Depth 305mm
- Depth 381mm
- Depth 457mm
- Depth 533mm
- Depth 610mm

Wall Band Perforated (Pegboard) Infill Panel



- 880(w) x 505(h)mm
- 80(w) x 665(h)mm

Requires Double Slotted Wall Bands

Wall Band Kick Plate



- Width 914mm

Requires Base Feet


Wall Band Shelving Dispensary Shelving



Uprights

Double Slotted	Standard Heights:
	610mm
	915mm
	1220mm
	1524mm
	1830mm
	2134mm
	2438mm
	3000mm

Dispensary Shelf



914(w) x 152(d)mm
Steel Powder Coated
Back Lip
Uses Dispensary Shelf Brackets
White Powder Coated


Dispensary Shelf Bracket




- Left Hand Side - 152(d)mm
- Right Hand Side - 152(d)mm
- White Powder Coated
- Requires Double Slotted Wall Bands



Wall Band Garage & Hobby Kit



Wall Band Steel Shelving Installation Guide




Wall Band Shelving Example Using:

- 4 x Double Slotted Wall Bands
- 2 x Perforated Infill Panels
- 24 x Blade Brackets
- 12 x Steel Shelves

PLEASE NOTE: This drawing is intended as an illustration. The drawing is not to scale. Please consult a qualified installer to confirm sizes and the appropriate fasteners needed to secure the wall band uprights to the wall.


Wall Band Shelf Kits for Home & Office



Kit Includes:

- 2 X Wall Band Uprights 610 / 915 / 1220 1520(h)mm
- Excludes Shelves
- 4 / 6 / 8 / 12 X Shelf Brackets for Timber Shelves
- 1 X Fastener Kit Consisting of Masonry Nails

For Timber Shelves



Kit Includes:

- 2 X Wall Band Uprights 610 / 915 / 1220 1520(h)mm
- 4 / 6 / 8 / 12 X Shelf Brackets
- 2 / 3 / 4 / 5 X Melamine Shelves 600 or 900(w) x 250 / 300 / 400(d)mm
- 1 X Fastener Kit Consisting of Masonry Nails & Wood Screws

With Melamine Timber Shelves

Wall Band Shelf Kits for Home & Office

Assembly & Installation for Wall Band Shelving Kits



Information

If in doubt, contact your supplier



Read this guide thoroughly before commencing assembly and retain for future reference



Before commencing assembly, unpack carefully and check that all components ordered are included



Assembly should be undertaken by a minimum of two competent people



Tools – Spirit level, screwdriver, power drill and a 8mm concrete drill bit is required



Assess for floor fixing. Tall narrow bays may require this to ensure stability



We recommend products over 2000mm high are fixed to the wall where possible



Caution

During assembly, ensure that:



Take care during assembly and in use, particularly when lifting or stretching & when using tools



Wear appropriate clothing - protective gloves and footwear are recommended



Build on a suitable level floor, which is strong enough to support the load and allow adequate working space



Dispose of packaging materials responsibly



Warning: Rules for safe use of shelving/workstations/workbenches



Ensure these instructions are retained for reference and that users are aware of the rules for safe use



Never climb on the structure or stand on the shelving/workstation/workbench



Do not lean or support ladders, steps, or other objects against shelving / workstation / workbench



Always use safety steps to reach high shelves



Do not use in damp or wet conditions




Load heavy items on the lower shelves & lighter items on the higher shelves



This product is designed for hand loading only



Ensure that the maximum load carrying capacities are not exceeded. Refer to the loading information



COMPONENT CHECK LIST

Component		Quantity
A Slotted Steel Uprights		2
B Brackets		2 per shelf
C Shelves		Dependant on kit choice
D Upright Fixings Pack		1 Pack
E Shelf Fixing Pack		1 Pack

Shelving is safe when used responsibly. If in doubt, contact the supplier

Loading information

Wall Mounted Shelving Kits

These kits are recommended for light and medium duty use mounted on solid walls and not to plasterboard walls.

Shelf load capacities

- An upright fixing pack and shelf fixing pack is provided with kits, however these fixing packs may not be appropriate for every application.
- The strength of the installation is dependent on the wall type. It is the installers responsibility to ensure the wall is suitable for twin slot.
- Please note:** it is recommended that the uprights are spaced no more than 600mm apart for optimum load capacity.

Bracket Length	Maximum Bracket Load
170 mm	108kg*
270 mm	69kg*
370 mm	57kg*
470 mm	80kg*

*Please Note that this does not indicate a capacity per shelf as strength is determined by wall type, type of wall fixings, space between uprights and the distributed load.

IF YOU ARE IN ANY DOUBT REGARDING LOAD CAPACITIES, PLEASE CONTACT YOUR SUPPLIER

† UDL = Uniformly Distributed Load