WALL BAND SHELVING

CATALOGUE

2026



SHOP ONLINE

SHELVING STORE

WALLBAND SHELVING

Wall Band Shelving is a versatile, modular storage and display system designed to make efficient use of available wall space. Its clean, professional appearance and flexible design make it suitable for retail stores, pharmacies, workshops, storerooms, offices and a wide range of general storage applications.

The system is built around wall-mounted slotted uprights, with both single-slotted and double-slotted uprights available. These can be combined with steel shelves, timber shelves, pegboard infills, square bars, hooks, wire baskets and a variety of other accessories to create a solution suited to your exact requirements. Shelf heights and layouts can be adjusted easily as your storage or display needs change.

Choose from convenient preconfigured kits for straightforward installations, or order individual components to create a fully customised solution. Shelving Store also offers planning and design assistance to help you select the right layout and components for your space.






SHELVING STORE

WALLBAND UPRIGHTS


Uprights

Double Slotted Upright



Standard Heights:
610mm
915mm
1220mm
1524mm
1830mm
2134mm
2438mm
3000mm

Single Slotted Upright




Powder Coated
Standard Colours:
White, Soft Cream & Bla
Other colour available
on request

Wall Band Saddle

Support for Heavy Applications
For Double Slotted Wall Bands Only





Wall Band Kick Plate

- Width 914mm

Requires Base Feet

Wall Band Foot



Includes:
- Nylon Insert
- Foot Adjuster

Available Depths:
- 285mm
- 360mm
- 435mm
- 510mm
- 585mm

Requires Double Slotted Upright



Brackets for Steel Shelves


Available Depths:

- 135(d)mm (Left or Right)
- 210(d)mm (Left or Right)
- 285(d)mm
- 360(d)mm
- 435(d)mm
- 510(d)mm
- 585(d)mm






Brackets for Timber Shelves



Timber brackets are available in either Left or Right Hand Side

Steel Shelves



914mm Width:

- Depth 135mm
- Depth 210mm
- Depth 285mm
- Depth 360mm
- Depth 435mm
- Depth 510mm
- Depth 585mm

1000mm Width:

- Depth 285mm
- Depth 360mm
- Depth 435mm
- Depth 510mm
- Depth 585mm

Downsloping r ackets

Available Depths:

- 210(d)mm
- 285(d)mm
- 360(d)mm
- 435(d)mm

Adjustable Downsloping Brackets

Available Depths:

- 210(d)mm
- 285(d)mm
- 360(d)mm



Glass Shelf Bracket - Horizontal

Available Depths:

- 135(d)mm
- 210(d)mm
- 285(d)mm
- 360(d)mm
- 435(d)mm



Glass Shelf Bracket - Downsloping

25 Degree with front stopper

Available Depths:

- 285(d)mm



Clip-On Pegboards

Clips onto the 2 side uprights of a 914mm Gondola Unit



Available sizes:
- 880(w) x 505(h)mm
- 880(w) x 665(h)mm

Pegboard Hook with Steel Back



Light Duty - 4.5mm Wire:
- 75(L)mm
- 125(L)mm
- 175(L)mm
- 225(L)mm

Pegboard Hook with Plastic Back

Light Duty - 5mm Wire:
- 150(L)mm
- 200(L)mm
- 250(L)mm
- 300(L)mm



Pegboard Button Hook with Plastic Back

Light Duty - 4.5mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm




Pegboard Button Hook with Steel Back

Light Duty - 4.5mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm




Pegboard Tracking Hook with Plastic Back

Light Duty - 5mm Wire:
- 150(L)mm
- 225(L)mm



Label Flap for Button Hook



Plastic Clip Close type



Pegboard Hook with Steel Back


Medium Duty - 6mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm
- 300(L)mm



Pegboard Wire Hooks

- Economy Range
- 5mm Wire
- Only Available in Zinc Plates





- 300(L)mm
- 250(L)mm
- 200(L)mm
- 150(L)mm
- 100(L)mm
- 50(L)mm

Gooseneck Arm for Wall Band & Gondola Uprights


Horizontal:
- 320(L)mm
- 420(L)mm

Downsloping:
- 30(L)mm
- 450(L)mm




Square Bar Rail


- 902(L)mm *for 914mm Unit*
- 1203(L)mm *for 1219mm Unit*



Sold as a set:
1 x Rail
2 x Brackets
2 x Inserts

Available in:
Galvanised or Chrome





Square Bar Rail Bracket

Available Depths:

- 50mm
- 100mm
- 140mm
- 300mm

Square Bar Rail Insert



Label / Tracking Utility Bar

- 25mm Square Tube - 360mm Perpendicular
- 25mm Square Tube - 435mm Perpendicular

Comes as s flat-pack & requires assembly

Includes:

- 1 x Left Utility Bar Bracket - 360 / 435mm
- 1 x Right Utility Bar Bracket - 360/ 435mm
- 1 x 25.4mm Galvanised Utility Bar
- 1 x Front Channel For Labels
- Excludes Label Strip





Square Bar Hook

Light Duty - 4.5mm Wire Sizes:

- 100(L)mm
- 150(L)mm
- 200(L)mm

Heavy Duty - 8mm Wire:

- 300(L)mm
- 350(L)mm
- 400(L)mm
- 450(L)mm

Medium Duty - 6mm Wire:

- 200(L)mm
- 225(L)mm
- 250(L)mm
- 300(L)mm




Square Bar Tracking Hook

Medium Duty - 6mm Wire:

- 200(L)mm
- 250(L)mm
- 300(L)mm

Heavy Duty - 8mm Wire:

- 200(L)mm
- 250(L)mm
- 300(L)mm



Square Bar Double Hook

Heavy Duty - 8mm Wire:

- 300(L)mm

& 400(L)mm



Square Bar Double Spade Hook

Heavy Duty - 8mm Wire:

- 370(L)mm
- 500(L)mm




Square Bar Gooseneck

- 320(L)mm - 12 Slots Standard Pitch
- 420(L)mm - 20 Slots Fine Pitch




Horizontal



Downsloping


Square Bar Flatbar Arm

- 400(L)mm



Rectangular Bar Rail

- 902(L)mm *for 914mm Unit*
- 1203(L)mm *for 1219mm Unit*



Rectangular Bracket Insert






Sold as a set:
1 x Rail
2 x Bracket Inserts
(1 x Left & 1 x Right)

Available in:
Galvanised or Chrome

Rectangular Bar Hook


Medium Duty - 6mm Wire:
- 225(L)mm
- 300(L)mm
- 350(L)mm

Heavy Duty - 8mm Wire:
- 300(L)mm
- 400(L)mm



Rectangular Label Holder


Medium Duty - 6mm Wire:
- 170(L)mm
- 235(L)mm
- 320(L)mm
- 370(L)mm









Rectangular Bar Tracking Hook

Medium Duty - 6mm Wire:
- 250(L)mm
- 300(L)mm

Heavy Duty - 8mm Wire:
- 300(L)mm
- 400(L)mm



Shelf Splicer Kits

	 L R Corner Splicers 50 / 75 / 100(h)mm	 Front & Back Support 50(h)mm	 Divider Support 50(h)mm
	1 x Left 1 x Right	x 1	
	2 x Left 2 x Right	x 1	
	2 x Left 2 x Right	x 2	
	2 x Left 2 x Right	x 2	x 2
	2 x Left 2 x Right	x 2	x 4

Wire Shelf

- 914(w) x 360(d)mm
- 914(w) x 435(d)mm

Chrome or Powder Coated

Uses Steel Shelf Brackets (Not Included)



Wire Shelf Curved Front

- 914(w) x 360(d)mm
- 914(w) x 435(d)mm


Chrome or Powder Coated

Uses Steel Shelf Brackets (Not Included)



Gondola Shelving Header Board


Clip-In 914(w) x 300(h)mm



8-TIER STEEL SHELVING KITS


An all-metal solution with a clean white powder-coated finish.

Starter Bay



Use this as the first bay in a run. It forms the starting section of your shelving layout.

Add-on Bay



Connect additional bays to extend the run as your storage needs grow.



The steel shelves include a back lip, while the side-support brackets help keep products contained and neatly organised.



Key Features


- Eight adjustable shelf levels.
- Powder-coated white steel shelves.
- Back lip helps prevent products moving behind the shelf.
- Side-support brackets provide a secure fit.
- Suitable for new installations or extensions.

Designed for pharmacies, dispensaries, clinics, hospitals and medical storage rooms.

8-TIER MELAMINE SHELVING KITS

A cost-effective shelving solution combining steel supports with melamine shelves.





8-Tier Melamine Shelving Kit Features

- Strong steel uprights and shelf brackets
- Adjustable shelf heights
- Makes efficient use of vertical wall space
- Smooth, easy-to-clean shelf surfaces
- Practical and cost-effective shelving solution
- Open design provides clear visibility and easy access
- Suitable for dispensaries, pharmacies, storerooms and retail areas
- Supplied as a complete shelving kit (requires assembly)
- Simple, professional appearance

DISPENSARY SHELVING COMPONENTS LIST

STEEL SHELVES


PR008269

Dispensary Shelving Kit | Steel Shelves
STARTER BAY | Dimensions: 2134(h) x 914(w) x 152(d)mm
Kit Includes:
- 2 X Wall Band Upright DOUBLE Slotted - 2134(h)mm
- 8 X Dispensary Shelf Bracket (152mm) - Left Side
- 8 X Dispensary Shelf Bracket (152mm) - Right Side
- 8 X Dispensary Steel Shelf | 914(w) x 152(d)mm


PR008278

Dispensary Shelving Kit | Steel Shelves
ADD-ON BAY | Dimensions: 2134(h) x 914(w) x 152(d)mm
Kit Includes:
- 1 X Wall Band Upright DOUBLE Slotted - 2134(h)mm
- 8 X Dispensary Shelf Bracket (152mm) - Left Side
- 8 X Dispensary Shelf Bracket (152mm) - Right Side
- 8 X Dispensary Steel Shelf | 914(w) x 152(d)mm


PR005949

Dispensary Shelf Bracket (152mm)
- 152mm Steel Dispensary Shelves
- Each shelf requires
  - 1 x Left Bracket and
  - 1 x Right Bracket (Sold individually)
- When facing the unit, the brackets will be either on your left or right side.


PR005948

Dispensary Steel Shelf
- Dispensary / Pharmacy Shelf with Back Lip
- DIMENSIONS: 914(w) x 152(d)mm
- Brackets sold separately

UPRIGHTS

Used will both Steel & Melamine Shelving


PR001120

Double Slotted Wall Band Upright
Available Heights:
610mm / 915mm 1220mm /1524mm / 1830mm / **2134mm (Standard Height)** / 2438mm / 3000mm
Wall Anchors Sold Separately



MELAMINE SHELVES


PR008279

Dispensary Shelving Kit | Melamine Shelves 900(w)mm
8 Tiers | Dimensions: 2134(h) x 910(w) x 150(d)mm
Kit Includes:
- 2 X Wall Band Upright DOUBLE Slotted - 2134(h)mm
- 16 X Bracket for Timber Shelves | Horizontal - 152(d)mm


PR008286

Dispensary Shelving Kit | Melamine Shelves 1800(w)mm
8 Tier | 2134(h) x 1820(w) x 150(d)mm
Kit Includes:
- 3 X Wall Band Upright Slotted 2134mm
- 24 X Bracket for Timber Shelves 152(d)mm
- 8 X Melamine Shelf - 1820(w) x 150(d)mm


PR008288

Dispensary Shelf Bracket | Melamine
- For Melamine Shelves
- Powder Coated White
- Pack of 2 Shelf Brackets -152(d)mm
  - 1 x Left Side
  - 1 x Right Side


PR008280

Dispensary Melamine Shelf
- White Melamine
- Excludes Shelf Brackets
- Edged on all 4 sides
- Available Sizes:
  - 914(w) x 150(d)m
  - 1800(w) x 150(d)mmm


NOTES: All Steel Components are Powder Coated White
Some products are made to order. Please confirm availability and lead time before placing your order.


SHELF KITS



















Kit Includes:
- 2 X Wall Band Uprights *610 / 915 / 1220 1520(h)mm*
- Excludes Shelves
- *4 / 6 / 8 / 12* X Shelf Brackets for Timber Shelves
- 1 X Fastener Kit Consisting of Masonry Nails

For Timber Shelves











Kit Includes:
- 2 X Wall Band Uprights *610 / 915 / 1220 1520(h)mm*
- *4 / 6 / 8 / 12* X Shelf Brackets
- *2 / 3 / 4 / 5* X Melamine Shelves 600 or 900(w) x *250 / 300 / 400(d)mm*
- 1 X Fastener Kit Consisting of Masonry Nails & Wood Screws

With Melamine Timber Shelves






Wall Band Garage / Hobby Kit (1 Bay) Includes:

- 2 x 1220(h)mm Double Slotted Wall Bands
- 1 x Masonry Wall Faster Kit
- 2 x 880(w) x 505(h)mm Perforated Infill Panels
- 10 x 100(l)mm Pegboard Hooks
- 2 x 914(w) x 305(d)mm steel shelves
- 4 x 305(d)mm Blade Shelf Brackets
- 4 x Linbin - Size 2
- 4 x Linbin - Size 3

Wall Band Steel Shelving Installation Guide



Wall Band Shelving Example Using:

- 4 x Double Slotted Wall Bands
- 2 x Perforated Infill Panels
- 24 x Blade Brackets
- 12 x Steel Shelves

PLEASE NOTE: *This drawing is intended as an illustration. The drawing is not to scale. Please consult a qualified installer to confirm sizes and the appropriate fastenrs needed to secure the wall band uprights to the wall.*

Assembly & Installation for Wall Band Shelving Kits

Information
If in doubt, contact your supplier


- Read this guide thoroughly before commencing assembly and retain for future reference
- Before commencing assembly, unpack carefully and check that all components ordered are included
- Assembly should be undertaken by a minimum of two competent people
- Tools – Spirit level, screwdrive , power drill and a 8mm concrete drill bit is required
- Assess for floor fixing. Tall narrow bays may require this to ensure stability
- We recommend products over 2000mm high are fixed to the wall where possible

Caution
During assembly, ensure that:

- Take care during assembly and in use, particularly when lifting or stretching & when using tools
- Wear appropriate clothing - protective gloves and footwear arerecommended
- Build on a suitable level floor, which is strong enough to support the load and allow adequate working space
- Dispose of packaging materials responsibly

Warning: Rules for safe use of shelving/workstations/workbenches

- Ensure these instructions are retained for reference and that users are aware of the rules for safe use
- Never climb on the structure or stand on the shelving/workstation/workbench
- Do not lean or support ladders, steps, or other objects against shelving / workstation / workbench
- Always use safety steps to reach high shelves
- Do not use in damp or wet conditions
- Load heavy items on the lower shelves & lighter items on the higher shelves
- This product is designed for hand loading only
- Ensure that the maximum load carrying capacities are not exceeded. Refer to the loading information



COMPONENT CHECK LIST

Component		Quantity
A Slotted Steel Uprights		2
B Brackets		2 per shelf
C Shelves		Dependant on kit choice
D Upright Fixings Pack		1 Pack
E Shelf Fixing Pack		1 Pack

Shelving is safe when used responsibly. If in doubt, contact the supplier

Loading information

Wall Mounted Shelving Kits

These kits are recommended for light and medium duty use mounted on solid walls and not to plasterboard walls.

Shelf load capacities

- An upright fixing pack and shelf fixing pack is provided with kits, however these fixing packs may not be appropriate for every application.
- The strength of the installation is dependent on the wall type. It is the installers responsibility to ensure the wall is suitable for twin slot.
- **Please note:** it is recommended that the uprights are spaced

Bracket Length	Maximum Bracket Load
170 mm	108kg*
270 mm	69kg*
370 mm	57kg*
470 mm	80kg*

*Please Note that this does not indicate a capacity per shelf as strength is determined by wall type, type of wall fixings, space between uprights and the distributed load.

IF YOU ARE IN ANY DOUBT REGARDING LOAD CAPACITIES, PL ASE CONTACT YOUR SUPPLIER

† UDL = Uniformly Distributed Load