
GONDOLLA SUPERMARKET SHELVING

CATALOGUE

2026



SHOP ONLINE

SHELVING STORE


GONDOLA SHELVING



Our Gondola Shelving is a practical and flexible solution for a wide range of retail environments. Its freestanding design makes it easy to adapt, expand or reconfigure as your product range or store layout changes. Whether used in a supermarket, pharmacy, hardware store or general retail setting, it provides a clean and effective way to display merchandise.

Proudly manufactured in South Africa, our Gondola Shelving is made from quality materials and finished with a durable powder coating for a professional appearance and long service life. Standard colours include white and soft cream, with additional options such as black, grey and silver available to suit different store interiors.


With a choice of sizes, shelf configurations and accessories, our Gondola Shelving can be tailored to suit your specific display requirements. The result is an organised, attractive and easy-to-shop layout that helps customers find what they need while making the best use of your available floor space.



GONDOLA SHELVING

CUSTOMISABLE SHELVING


Gondola Shelving is highly flexible and can be adapted to suit a wide range of products and display requirements. In addition to standard shelves, the system can be fitted with accessories such as infill panels, square bar, hooks, wire baskets and other display components, allowing you to configure each section around the products being sold. This makes it easy to change layouts, introduce new product ranges or create more specialised displays without replacing the entire shelving system.




Double Sided



Single Sided




Drawing Key	
1	Upright
2	Upright Top Cap
3	Upright Base Cap & Leveling Screw
4	Foot
5	Foot Insert & Leveling Screw
6	Spacer
7	Top Cover Rail
8	Pegboard Infill Panel
9	Solid Infill Panel
10	Shelf Bracket
11	Steel Shelf




SHELVING STORE

UPRIGHTS & FEET




❶ GS060 Light Duty Upright

1220(h)mm - Uses Standard Duty Foot
1372(h)mm - Uses Standard Duty Foot
1524(h)mm - Uses Standard Duty Foot
1690(h)mm - Uses Standard Duty Foot
1830(h)mm - Uses Standard Duty Foot




❶ GS080 Medium Duty Upright

1830(h)mm - Uses Standard Duty Foot
1970(h)mm - Uses Standard Duty Foot
2134(h)mm - Uses Standard Duty Foot
2134(h)mm - Uses **Heavy** Duty Foot
2438(h)mm - Uses Standard Duty Foot
2438(h)mm - Uses **Heavy** Duty Foot



❶ GS100 Heavy Duty Upright

2134(h)mm - Uses **Heavy** Duty Foot
2438(h)mm - Uses **Heavy** Duty Foot
2743(h)mm - Uses **Heavy** Duty Foot
3000(h)mm - Uses **Heavy** Duty Foot



❷ Upright Top Cap

for G060S Upright
for G080S Upright
for G100S Upright



❸ Upright Base Cap

for G060S Upright
for G080S Upright
for G100S Upright



❸ Leveling Screw


for G060S & G080S Uprights
for G100S Upright

❹ Standard Duty Clip on Foot



Available Depths:
- 285(d)mm
- 360(d)mm
- 435(d)mm
- 510(d)mm
- 585(d)mm

❹ Heavy Duty Clip on Foot



Available Depths:
- 360(d)mm
- 435(d)mm
- 510(d)mm
- 585(d)mm

❺ Foot Insert

Nylon with 10mm Thread



❺ Leveling Screw


Fixed Nylon M10 60mm Thread (17mm Square)
Swivel Steel M10 50mm Thread (17mm Hex)

Single / Double Sided Foot Configuration


Our uprights allow for either single sided or double sided units, offering you more flexibility when you need to change a display.



Gondola Shelving Unit Side View



The base Foot ❹ should be clipped into the lowest slot on the Upright ❶ before the Nylon Insert ❸ is inserted into the Upright ❶.



The sizes reflect the modular sizes, the actual sizes may Drawings not to scale.

UPRIGHTS & INFILLS

Minimum Foot Depths

Uprights			Standard Duty Feet				
HEIGHT	GS080	GS060	305mm	381mm	457mm	533mm	610mm
2438mm						●	●
2134mm							
1970mm					●	●	●
1830mm							
1690mm							
1524mm				●			
1372mm					●	●	●
1220mm			●	●	●	●	●

Minimum Foot Depths

Uprights			Heavy Duty Feet		
HEIGHT	GS100	GS080	457mm	533mm	610mm
3000mm					
2743mm					●
2438mm				●	●
2134mm					
1970mm			●	●	●
1830mm					


⑥ Spacer

Available Widths:
- 914mm
- 1000mm



⑦ Top Cap

Available Widths:
- 914mm
- 1000mm



Gondola Bay Kick Plate

Available Widths:
- 914mm
- 1000mm



Infill / Back Panels

Combination of Infill Panels Required for Gondolas Unit

Upright Size & Foot Type	Solid Infill Panels	Pegboard Infill Panels
GS060 1220mm Light Duty Upright with Standard Duty Foot	1050mm	1035mm
GS060 1372mm Light Duty Upright with Standard Duty Foot	1210mm	1210mm
GS060 1524mm Light Duty Upright with Standard Duty Foot	1365mm	1365mm
GS060 1690mm Light Duty Upright with Standard Duty Foot	610mm + 920mm	2 x 755mm
GS080 1830mm Medium Duty Upright with Standard Duty Foot	610mm + 1050mm	610mm + 1035mm
GS080 1970mm Medium Duty Upright with Standard Duty Foot	610mm + 1210mm	755mm + 1035mm
GS080 2134mm Medium Duty Upright with Standard Duty Foot	920mm + 1050mm	920mm + 1035mm
GS080 2134mm Medium Duty Upright with Heavy Duty Foot	3 x 610mm	755mm + 1035mm
GS080 2438mm Medium Duty Upright with Standard Duty Foot	1050mm + 1210mm	1035mm + 1210mm
GS100 2134mm Heavy Duty Upright with Heavy Duty Foot	3 x 610mm	755mm + 1035mm
GS100 2438mm Heavy Duty Upright with Heavy Duty Foot	2 x 1050mm	2 x 1035mm
GS100 2743mm Heavy Duty Upright with Heavy Duty Foot	2 x 920mm + 545mm	N/A
GS100 3000mm Heavy Duty Upright with Heavy Duty Foot	2 x 1050mm + 610mm	2 x 920mm + 755mm


⑨ Solid Infill Panels

914mm Wide Shelving Units
Available Sizes:
- 880(w) x 545(h)mm
- 880(w) x 610(h)mm
- 880(w) x 920(h)mm
- 880(w) x 1050(h)mm
- 880(w) x 1210(h)mm

1000mm Wide Shelving Units
Available Sizes:
- 970(w) x 610(h)mm
- 970(w) x 920(h)mm
- 970(w) x 1050(h)mm
- 970(w) x 1210(h)mm
- 970(w) x 1365(h)mm
- 970(w) x 1365(h)mm

⑧ Peforated Infill Panels

914mm Wide Shelving Units
Available Sizes:
- 880(w) x 610(h)mm
- 880(w) x 755(h)mm
- 880(w) x 920(h)mm
- 880(w) x 1035(h)mm
- 880(w) x 1210(h)mm



The sizes reflect the modular sizes, the actual sizes may
Drawings not to scale.

10 Brackets for Steel Shelves

Available Depths:

- 135(d)mm (Left or Right)
- 210(d)mm (Left or Right)
- 285(d)mm
- 360(d)mm
- 435(d)mm
- 510(d)mm
- 585(d)mm



10 Downsloping Brackets

Available Depths:


- 210(d)mm
- 285(d)mm
- 360(d)m
- 435(d)mm



10 Adjustable Downsloping Brackets

Available Depths:

- 210(d)mm
- 285(d)mm
- 360(d)mm



10 Glass Shelf Bracket - Horizontal

Available Depths:

- 135(d)mm
- 210(d)mm
- 285(d)mm
- 360(d)mm
- 435(d)mm



10 Glass Shelf Bracket - Downsloping

25 Degree with front stopper

Available Depths:

- 285(d)mm




Wire Shelf

- 914(w) x 360(d)mm
- 914(w) x 435(d)mm

Chrome or Powder Coated

Uses Steel Shelf Brackets (Not Included)




Wire Shelf Curved Front


- 914(w) x 360(d)mm
- 914(w) x 435(d)mm

Chrome or Powder Coated

Uses Steel Shelf Brackets (Not Included)



11 Steel Shelves



914mm Width:

- Depth 135mm
- Depth 210mm
- Depth 285mm
- Depth 360mm
- Depth 435mm
- Depth 510mm
- Depth 585mm

1000mm Width:

- Depth 285mm
- Depth 360mm
- Depth 435mm
- Depth 510mm
- Depth 585mm

Gondola Perforated Bins


Horizontal or Downsloping


- 900(w) x 380(d)mm
- 900(w) x 460(d)mm

Dividers Sold Separately

Dividers

- 380(d)mm
- 460(d)mm





The sizes reflect the modular sizes, the actual sizes may


Drawings not to scale.

Gondola Basket Bins

Horizontal or Downsloping

- 910(w) x 380(d)mm
- 910(w) x 460(d)mm

Dividers sold separately



Includes:

- 1 x Wire Basket - 900(w) x 380 / 460(d)mm
- 1 x Left Hand Side Bracket - 380 / 460(d)mm
- 1 x Right Hand Side Bracket - 380 / 460(d)mm

Dividers

- 380(d)mm
- 460(d)mm

Fits both Horizontal and Downsloping Baskets




Gondola Base Shelf Basket

- 910(w) x 460(d)mm

Diviers sold separat ely

Dividers

- 460(d)mm



Stick On Label Holders

- 914(w)mm
- 1000(w)mm



Stick on with double sided tape.
Clear front with either white, black or clear background

Shelf Label Holder - Flush

- 914(w) x 33(h)mm
- 1000(w) x 33(h)mm


Uses 6 X Plastic Rivets to fix to shelf
Rivets not included
Clear background



Shelf Label Holder - Angled(1)

- 914(w) x 33(h)mm
- 1000(w) x 33(h)mm

Uses 6 X Plastic Rivets to fix to shelf
Rivets not included



Shelf Label Holder - Angled(2)


- 914(w) x 33(h)mm
- 1000(w) x 33(h)mm

Uses 6 X Plastic Rivets to fix to shelf
Rivets not included



Shelf Wire Front

- 914(w) x 30(h)mm
- 914(w) x 50(h)mm
- 914(w) x 100(h)mm




Shelf Wire Divider

Height: 100mm


- Depth 285mm
- Depth 360mm
- Depth 435mm
- Depth 510mm
- Depth 585mm





3 Sided Shelf Wire Surround

- 914(w) x 285(d)mm
- 914(w) x 360(d)mm
- 914(w) x 435(d)mm






Shelf Front With Holes


- 914(w) x 50(h)mm

Uses 6 X Plastic Rivets to fix to shelf
(Not included)




Plastic Rivet

For Shelf Labels



Clip-On Pegboards

Clips onto the 2 side uprights of a 914mm Gondola Unit



Available sizes:
- 880(w) x 505(h)mm
- 880(w) x 665(h)mm



Pegboard Hook with Steel Back

Light Duty - 4.5mm Wire:
- 75(L)mm
- 125(L)mm
- 175(L)mm
- 225(L)mm

Pegboard Hook with Plastic Back

Light Duty - 5mm Wire:
- 150(L)mm
- 200(L)mm
- 250(L)mm
- 300(L)mm



Pegboard Button Hook with Plastic Back

Light Duty - 4.5mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm




Pegboard Button Hook with Steel Back

Light Duty - 4.5mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm




Pegboard Tracking Hook with Plastic Back

Light Duty - 5mm Wire:
- 150(L)mm
- 225(L)mm



Label Flap for Button Hook



Plastic Clip Close type



Pegboard Hook with Steel Back


Medium Duty - 6mm Wire:
- 100(L)mm
- 150(L)mm
- 200(L)mm
- 250(L)mm
- 300(L)mm



Pegboard Wire Hooks

- Economy Range
- 5mm Wire
- Only Available in Zinc Plates





- 300(L)mm
- 250(L)mm
- 200(L)mm
- 150(L)mm
- 100(L)mm
- 50(L)mm

Gooseneck Arm for Wall Band & Gondola Uprights


Horizontal:
- 320(L)mm
- 420(L)mm

Downsloping:
- 350(L)mm
- 450(L)mm




Square Bar Rail


- 902(L)mm *for 914mm Unit*
- 1203(L)mm *for 1219mm Unit*



Sold as a set:
1 x Rail
2 x Brackets
2 x Inserts

Available in:
Galvanised or Chrome





Square Bar Rail Bracket

Available Depths:

- 50mm
- 100mm
- 140mm
- 300mm

Square Bar Rail Insert



Label / Tracking Utility Bar

- 25mm Square Tube - 360mm Perpendicular
- 25mm Square Tube - 435mm Perpendicular

Comes as s flat-pack & requires assembly

Includes:

- 1 x Left Utility Bar Bracket - 360 / 435mm
- 1 x Right Utility Bar Bracket - 360/ 435mm
- 1 x 25.4mm Galvanised Utility Bar
- 1 x Front Channel For Labels
- Excludes Label Strip





Square Bar Hook

Light Duty - 4.5mm Wire Sizes:

- 100(L)mm
- 150(L)mm
- 200(L)mm

Heavy Duty - 8mm Wire:

- 300(L)mm
- 350(L)mm
- 400(L)mm
- 450(L)mm

Medium Duty - 6mm Wire:

- 200(L)mm
- 225(L)mm
- 250(L)mm
- 300(L)mm




Square Bar Tracking Hook

Medium Duty 6mm Wir e:

- 200(L)mm
- 250(L)mm
- 300(L)mm

Heavy Duty - 8mm Wire:

- 200(L)mm
- 250(L)mm
- 300(L)mm



Square Bar Double Hook

Heavy Duty - 8mm Wire:

- 300(L)mm
- 400(L)mm



Square Bar Double Spade Hook

Heavy Duty - 8mm Wire:

- 370(L)mm
- 500(L)mm




Square Bar Gooseneck

- 320(L)mm - 12 Slots Standard Pitch
- 420(L)mm - 20 Slots Fine Pitch




Horizontal



Downsloping


Square Bar Flatbar Arm

- 400(L)mm



Rectangular Bar Rail

- 902(L)mm *for 914mm Unit*
- 1203(L)mm *for 1219mm Unit*



Rectangular Bracket Insert





Available in:
Galvanised or Chrome

Sold as a set:
1 x Rail
2 x Bracket Inserts
(1 x Left & 1 x Right)


Rectangular Bar Hook

Medium Duty - 6mm Wire:

- 225(L)mm
- 300(L)mm
- 350(L)mm

Heavy Duty - 8mm Wire:


- 300(L)mm
- 400(L)mm



Rectangular Label Holder

Medium Duty - 6mm Wire:

- 170(L)mm
- 235(L)mm
- 320(L)mm
- 370(L)mm




Rectangular Bar Tracking Hook

Medium Duty - 6mm Wire:

- 250(L)mm
- 300(L)mm

Heavy Duty - 8mm Wire:

- 300(L)mm
- 400(L)mm












1	Gondola In-Fill Pannel
2	Down Sloaping Bin
3	Down Sloaping Bin
4	Down Sloping Baskets
5	Down Sloping Baskets
6	Down Sloping Baskets
7	Clip-On Price Strip
8	Straight Baskets
9	Straight Baskets
10	Straight Baskets
11	Down Sloping Bracket
12	Steel Shelf
13	Wire Fronts
14	Stick On Price Strip
15	Shelf Wire Front
16	Shelf Wire Divider
17	Wire Surround


Shelf Splicer Kits

	L R Corner Splicers 50 / 75 / 100(h)mm	Front & Back Support 50(h)mm	Divider Support 50(h)mm
	1 x Left 1 x Right	x 1	
	2 x Left 2 x Right	x 1	
	2 x Left 2 x Right	x 2	
	2 x Left 2 x Right	x 2	x 2
	2 x Left 2 x Right	x 2	x 4


Gondola Shelving Header Board

Clip-In 914(w) x 300(h)mm

Your Brand Here








PLANNING & SIZING


Good planning starts with accurate measurements, suitable aisle widths and a clear understanding of how the space will be used. Gondola Shelving is supplied in standard 914 mm bay widths, with a choice of heights, shelf depths and configurations to suit different retail environments. Careful planning helps determine the number of starter and add-on bays required while maintaining practical aisle widths for comfortable customer movement.

We also offer a planning and design service, as well as StorageFlow, our online shelving layout tool.


StorageFlow allows shelving to be positioned and configured within a measured space, helping you visualise the layout and plan the installation before ordering.



StorageFlow: PDF Plans & Bill of Quantities



VISIT STORAGE FLOW: https://shelvingstore.co.za/storageflow/



VISIT STORAGE FLOW: https://shelvingstore.co.za/storageflow/

HOW TO ORDER & QUANTITIES

Gondola Shelving can be ordered online as convenient preconfigured kits, making it easy to choose a complete shelving solution for common store layouts. For greater flexibility, the system can also be ordered component by component, allowing you to select the uprights, shelves, brackets, infills and accessories needed to create a fully customised configuration for your space and product range.

EXAMPLE 1

1 x Single Sided Starter Bay

- 2 x Uprights - **1524(h)mm*
- 2 x Feet - **305(d)mm*
- 1 x Spacer - 914(w)mm
- 1 x Top Cap - 914(w)mm
- 1 x Shelf - 914(w) x **305(d)mm* (Base)
- 1 x Perforated (Pegboard) Panel
- 2 x Pack of 10 Peg Hooks - **150(d)mm*



EXAMPLE 2


1 x Double Sided Starter Bay

- 2 x Uprights - **1524(h)mm*
- 4 x Feet - **457(d)mm*
- 2 x Spacer - 914(w)mm
- 2 x Top Cap - 914(w)mm
- 2 x Shelf - 914(w) x **457(d)mm* (Base)
- 1 x Solid Infill Panel (Optional) **1365(h)* x 880(w)mm
- 12 x **381(d)mm* Blade Brackets
- 6 x Shelf - 914(w) x **381(d)mm*

EXAMPLE 4

2 x Double Sided Addon Bay


- 2 x Uprights - **1524(h)mm*
- 4 x Feet - **457(d)mm*
- 2 x Spacer - 914(w)mm
- 2 x Top Cap - 914(w)mm
- 4 x Base Shelf - 914(w) x **457(d)mm*
- 2 x Solid Infill Panel (Optional) **1365(h)* x 880(w)mm
- 24 x **381(d)mm* Blade Brackets
- 12 x Base Shelf - 914(w) x **381(d)mm*




EXAMPLE 2

1 x Single Sided Starter Bay

- 2 x Uprights - **1524(h)mm*
- 2 x Feet - **457(d)mm*
- 1 x Spacer - 914(w)mm
- 1 x Top Cap - 914(w)mm
- 1 x Base Shelf- 914(w) x **457(d)mm*
- 1 x Solid Infill Panel - **1365(h)* x 880(w)mm
- 2 x **381(d)mm* Blade Brackets
- 1 x Shelf - 914(w) x **381(d)mm*
- 4 x **305(d)mm* Blade Brackets
- 2 x Shelf - 914(w) x **305(d)mm*



*These items are available in different sizes, depending on specific requirements.



Need a fresh set of eyes on your shelving?

Give us a call, and we can gladly assist.

SAFE SHELVING.
SAFE PEOPLE.
STRONGER OPERATIONS.

SAFER STORE SYSTEMS STARTS WITH ACTION

Need advice, inspections or layout support? **Shelving Store** is here to help – every step of the way.

EXPERT ADVICE

QUALITY PRODUCTS

ONGOING SUPPORT



087-630-1800
info@shelvingstore.co.za
https://shelvingstore.co.za

SHELVING STORE